

JIALIFT®



www.jialift.com.au

CL1646GS

Full Electric Stacker Straddle Legs

- 1600kg Capacity; Max Lifting Height - 4600mm
- Walk-behind operate no license required
- Safe, reliable, sustainable and low maintenance

CE

Full Electric Walkie Stacker Straddle Legs (1600kg/4600mm)

- Imported CURTIS AC controller and MOSFETS drive have functions of the step-less speed regulating and reverse braking.
- Perfect temperature protection and compensation functions ensure thermal protection and stable output.
- The advanced vertical AC drive system. The motor can get more energy and greater braking torque to make it more powerful and better in acceleration.
- The hydraulic power unit is with compact structure, small size, light weight, high efficiency, no leaks, reliable performance.
- The whole series use H type steel, which is especially for forklifts, for mast. H type steel is with good plasticity.

Standard Equipment:

Also Included in our Offer: Battery and Charger

Warranty: 5 Years refer to the JIALIFT warranty terms and conditions



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

www.jialift.com.au

Distinguishing mark		
Model designation		CL1646GS
Load capacity	kg	1600
Load capacity on max. Height	kg	800
Max lifting height	mm	4600
Load center distance	mm	600
Service weight	kg	1300
Dimensions		
Fork length	mm	1150
Single fork width	mm	100
Overall fork width	mm	210-830
Lowered fork height	mm	2086
Fixed leg length	mm	875
Fixed leg height of ground	mm	100
Single fixed leg width	mm	124
Inside width between fixed legs	mm	1225
Outside width between fixed legs	mm	1325
Turning radius	mm	1620
Overall length(with Pedal)	mm	2085
Overall width	mm	1325
Lowered mast height	mm	2086
Extended mast height	mm	5102
Electric-engine		
Drive motor rating	kW	AC 1.5
Lift motor rating	kW	2.5
Steering Motor	kW	0.2
The charger		Single Phase
Battery voltage/nominal capacity		24V/210Ah
Working time of fully charged	h	5



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

www.jialift.com.au