

JIALIFT®



www.jialift.com.au

HTF-G

Low Profile Electric Scissor Table Lifter

CE

- 1000kg Load Capacity;
- Min-max table height: 82 – 760mm
- Safe, reliable, sustainable and low maintenance

1T Low Profile Electric Scissor Table Lifter (including Ramp)

- The high-quality scissor lift table is driven by an electric motor mounted under the table, which is controlled by a pendant hand controller on a curly cable.
- The table utilizes a safety bar around the perimeter to sense any foreign objects in which case it will stop the movement instantly.
- These tables are normally operated from the factory floor but can be installed in a pit (require eye bolt lifting lugs).

Warranty: 1 Year refer to the JIALIFT warranty terms and conditions



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au



www.jialift.com.au

Distinguishing mark		
Model designation		HTF-G
Load capacity	kg	1000
Min. lifting height	mm	82
Max. lifting height	mm	760
Lifting to top time	s	18
Max. capacity lifting speed	mm/s	42
Max. capacity drop down speed	mm/s	48
Weight		
Service weight	kg	250
Dimensions		
Platform size	mm	1450x1140
Overall length	mm	1450
Overall width	mm	1140
Overall height	mm	82
Electric-engine		
Lift motor	kw	0.75
Power supply	v	240V single phase
Charger		Built In

