

SPN1020/25/30/35

SEMI-Electric Walkie Stacker

- Walk-behind operate no license required.
- Control Panel: Fascia-mounted control panel with raise/lower buttons, emergency stop trigger, battery indicator and hour-meter.
- The in-built charger is single phase (wall plug) can be easily charged
- Adjustable Fork: Forged forks with an adjustable width. Easy service and maintenance
- Lockable wheel: Wheels: Brake-enabled with 360-degree rotation. Large diameter steered rear wheel for easy movement across any surface.
- Electric lift and manual push
- Used for open pallet, NOT for Australia standard pallet (CHEP)
- Efficient in factories, warehouses, and logistics centres. While in some narrow passage, floors, and other high rack warehouses, using SPN is more flexible, silent and environmental.



SPN1020/25/30/35

Manufacturer's Data and Design Characteristics					
Model designation		SPN1020	SPN1025	SPN1030	SPN1035
Load capacity	kg	1000			
Load capacity on max. Height	kg	800	700	600	500
Max lifting height	mm	2000	2500	3000	3500
Load center distance	mm	600			
Weight					
Service weight	kg	365	374	380	405
Dimensions					
Fork length	mm	1150			
Single fork width	mm	150			
Overall fork width	mm	Narrow550/Standard640			
Lowered fork height	mm	85			
Fixed leg length	mm	875			
Single fixed leg width	mm	100			
Inner width of two fixed legs	mm	390			
Outer width of two fixed legs	mm	590			
Turning radius	mm	1350			
Overall length	mm	1600(900Fork)/1800(1100 Fork)			
Overall width	mm	760	760	760	760
Extended mast height	mm	2567	3067	3567	4067
Collapsed mast height	mm	1577	1827	2077	2327
Types, Chassis					
Wheels type		NL			
Front wheel size, number	mm	ø74x70, 2			
Rear wheel size, number	mm	ø180x50, 2			
Electric-engine					
Lift motor rating	kW	1.5			
Lift motor	V	12V			
The charger		12V/20A			
Battery voltage/nominal capacity		12V/120AH, 10-12V			




JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

www.jialift.com.au

SPN1020/25/30/35



JIALIFT AUSTRALIA PTY LTD

Call Us: 1300 000 168 Email: sales@jialift.com.au

www.jialift.com.au